


Paper name	Label	Photo book / Booklet application				Back print design	Emulsion number	Surfaces	Available main sizes (width)
		Frontier	Digital MiniLab	High speed printing	Large Format				
FUJICOLOR CRYSTAL ARCHIVE ALBUM PAPER				4.	4.	No back print	C _{xx}	Lustre	Rolls: 10,2 cm up to 127 cm
FUJICOLOR CRYSTAL ARCHIVE ALBUM HD PAPER				4.	4.	No back print	D _{xx}	Glossy	Rolls: 10,2 cm up to 50,8 cm
FUJICOLOR CRYSTAL ARCHIVE ALBUM HDX PAPER		5	5			No back print	X _{xx}	Glossy Lustre Matte	Rolls: 20.3 cm, 25.4 cm and 30.5 cm
FUJICOLOR CRYSTAL ARCHIVE ALBUM DPIX PAPER				4.		No back print	L _{xx}	Lustre	Rolls: 20.3 cm and 30.5 cm

Fujicolor Crystal Archive Display and Printing materials (AgX)

Display Materials	Label	Main characteristic	Application type	Emulsion number	Surface	Available roll sizes (width)
FUJIFLEX CRYSTAL ARCHIVE PRINTING MATERIAL		Reflection print on extreme high gloss PET base	Reflection Print	U _{xx}	Extreme High Gloss	Rolls: 76.2 cm up to 127 cm
FUJITRANS Display Material for Digital Printers		Translucent print on white translucent PET base	For backlit display systems without integrated diffuser	F _{xx}	Glossy	Rolls: 76,2 cm up to 127cm

FUJICLEAR Display Material for Digital Printers		Transparent print on clear PET base	For backlit display systems with integrated diffuser	D_{XX}	Glossy	Rolls: 127cm
--	---	-------------------------------------	--	-----------------------	--------	--------------

All Fujicolor Crystal Archive Photographic Papers and Display materials must be processed in the RA-4 or compatible processes.

For best results we recommend to use Fujifilm chemicals. For detailed information please refer to the website: <http://www.fujifilm europe.be>

The availability of paper types, sizes and surfaces might be different within European countries.

For technical support please contact your local distributor or direct contact the Technical Market Support department for Fujicolor papers.

Contact via e-mail: technicalsupport@fujifilm.eu

¹ It is not recommended to print the professional papers Crystal Archive Type DPII and Pearl Papers on Frontier 500.

² First generation of Frontier 700, 710 and 720 need a modification to enable them to process the professional Crystal Archive DPII and Pearl Paper.

³ For FUJICOLOR Crystal Archive **Pearl Paper** on Fujifilm Frontier systems 3x0 and 5x0 the Paper LUT installer **Type "r"** must be installed (A3 Version 1.0-0X-018 Type r)

⁴ Album Paper, Album HD and Album DPII Paper are thinner than all other photo papers. This paper is recommended to be used under specific environmental conditions (temperature and relative humidity).

The recommended environmental conditions for digital printing and post-processing are: temperature within 17-27°C and relative humidity within 40-75%.

⁵ Album HDX paper is recommended for Frontier minilab 350 and higher versions. Paper print feeding length should be equal or more than 20.3 cm.